

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20040268142".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 08:32
S2	4	karjala-jari.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:04
S3	5	palojarvi-jari.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:16
S4	2093	nokia-inc.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:16
S5	27	S4 and ("virtual private network" vpn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 08:45
S6	113841	"726"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. and ((creat\$3 config\$9) with (VPN "virtual private network"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:59
S7	11285	S6 and ((application program) with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:01
S8	63	S7 and ((access\$3 near3 database) with (key certificate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:21
S9	13	S8 and (VPN "virtual private network")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:55

EAST Search History

S10	116	726/15.ccls. and ((creat\$3 config\$9) with (VPN "virtual private network"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:53
S11	5016	S7 and (key certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:21
S12	97	S10 and (key certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:26
S13	8	S12 and (access\$3 with database with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:39
S14	49	(US-20040268142-\$ or US-20040268148-\$ or US-20050114711-\$ or US-20060282522-\$ or US-20030115364-\$ or US-20040266420-\$ or US-20070004436-\$ or US-20010047406-\$ or US-20020016926-\$ or US-20020032725-\$).did. or (US-6182226-\$ or US-7096266-\$ or US-6061796-\$ or US-7171493-\$ or US-6081900-\$ or US-6158011-\$ or US-6236652-\$ or US-6292790-\$ or US-6317838-\$ or US-6442696-\$ or US-6640302-\$ or US-6751729-\$ or US-6804777-\$ or US-6873988-\$ or US-6898710-\$ or US-6916247-\$ or US-6920502-\$ or US-6950936-\$ or US-6965674-\$ or US-6971017-\$ or US-6981041-\$ or US-7003662-\$ or US-7028183-\$ or US-7042988-\$ or US-7055027-\$ or US-7069336-\$). did. or (US-7076653-\$ or US-7103772-\$ or US-7111060-\$ or US-7120692-\$ or US-7124189-\$ or US-7127477-\$ or US-7127742-\$ or US-7133526-\$ or US-7146403-\$ or US-7155518-\$ or US-7174564-\$ or US-7181762-\$ or US-7188179-\$). did.	US-PGPUB; USPAT	OR	ON	2007/03/06 13:37

EAST Search History

S15	31	S14 and ((creat\$3 config\$9) with (VPN "virtual private network"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:13
S16	29	S15 and (key certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:39
S17	8	S16 and (access\$3 with database with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:39
S19	28	S14 and wireless and (VPN "virtual private network")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 16:12
S20	11	S19 and (configur\$5 with (application program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:54

EAST Search History

S21	49	(US-20040268142-\$ or US-20040268148-\$ or US-20050114711-\$ or US-20060282522-\$ or US-20030115364-\$ or US-20040266420-\$ or US-20070004436-\$ or US-20010047406-\$ or US-20020016926-\$ or US-20020032725-\$).did. or (US-6182226-\$ or US-7096266-\$ or US-6061796-\$ or US-7171493-\$ or US-6081900-\$ or US-6158011-\$ or US-6236652-\$ or US-6292790-\$ or US-6317838-\$ or US-6442696-\$ or US-6640302-\$ or US-6751729-\$ or US-6804777-\$ or US-6873988-\$ or US-6898710-\$ or US-6916247-\$ or US-6920502-\$ or US-6950936-\$ or US-6965674-\$ or US-6971017-\$ or US-6981041-\$ or US-7003662-\$ or US-7028183-\$ or US-7042988-\$ or US-7055027-\$ or US-7069336-\$). did. or (US-7076653-\$ or US-7103772-\$ or US-7111060-\$ or US-7120692-\$ or US-7124189-\$ or US-7127477-\$ or US-7127742-\$ or US-7133526-\$ or US-7146403-\$ or US-7155518-\$ or US-7174564-\$ or US-7181762-\$ or US-7188179-\$). did.	US-PGPUB; USPAT	OR	ON	2007/03/07 13:16
S22	28	S21 and wireless and (VPN "virtual private network")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:16
S23	31	S21 and ((creat\$3 config\$9) with (VPN "virtual private network"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:17
S24	29	S23 and (key certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:17
S25	28	S21 and wireless and (VPN "virtual private network")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:22

EAST Search History

S26	140	726/15.ccls. and ((creat\$3 config\$9 establish\$3) with (VPN "virtual private network"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:14
S27	56	S26 and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 08:45
S28	114	S26 and (key certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:43
S29	17	S21 and ((vpn "virtual private network") near3 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:06
S30	7	S29 and (configur\$5 with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:06
S31	61	S26 and ((vpn "virtual private network") near3 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:12
S32	17	S31 and (configur\$5 with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:17
S33	8	S32 and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:07
S34	9	S32 not S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 16:44
S35	141	726/15.ccls. and ((creat\$3 config\$9 establish\$3) with (VPN "virtual private network"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:39

EAST Search History

S36	16	726/15.ccls. and (((VPN "virtual private network") near3 client) with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:58
S37	4	726/15.ccls. and (((VPN "virtual private network") near3 client) with register\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:42
S38	19	726/15.ccls. and ((VPN "virtual private network") with register\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:56
S39	54	726/15.ccls. and (updat\$3 with (configur\$5 client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:41
S40	18	S39 and ((receiv\$3 retriev\$3 download\$3) with updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:56
S41	16	S40 and (VPN "virtual private network")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:42
S42	11	S35 and (certificate same (enroll\$4 register\$3 registrat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:58
S43	1	"20030041136".pn. and (authentikat\$3 same (username password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 07:37
S47	20	("726"/\$.ccls. "709"/\$.ccls. "713"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls.) and ((enroll\$4 register\$3) same ((internal external corporate) near3 ((certificat\$3 adj authority) "CA")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 07:58

EAST Search History

S48	10	("726"/\$.ccls. "709"/\$.ccls. "713"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls.) and (((enroll\$4 register\$3) near6 certificate) same ((internal external corporate) near3 ((certificat\$3 adj authority) "CA"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 07:47
S65	10075	("726"/\$.ccls. "709"/\$.ccls. "713"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls. "455"/\$.ccls.) and (vpn "virtual private network")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 09:41
S66	336	S65 and ((updat\$3 upgrad\$3) with (application program content software) with automatic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:08
S67	155	S66 and ((updat\$3 upgrad\$3) with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:09
S68	3	S67 and syncml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 09:42
S69	3	S67 and ((simple single) near3 (request\$1response (request response)) near3 (pair protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 09:42
S70	11	S67 and (fetch\$3 with (content data meta\$1data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 09:51
S71	24	S67 and (fetch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 09:51
S72	9871	((updat\$3 upgrad\$3) with (application program content software) with (automatic\$4 "without user intervention"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:04

EAST Search History

S73	2256	S72 and ((updat\$3 upgrad\$3) with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:09
S74	153	S73 and ((message content) near3 (ID identifi\$6)) and ((server database) near3 (ID identifi\$6)) and ((secur\$3 access\$3) near3 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 07:57
S75	59	S74 and (((secur\$3 access\$3) near3 level) with (application software program content)) and (((secur\$3 access\$3) near3 level) with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:00
S76	3692	(request\$3 with ((secur\$3 access\$3) near3 level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:46
S77	274	S76 and ("virtual private network" vpn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:13
S78	7	S77 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:13
S79	170	((message near3 request\$3) with ((secur\$3 access\$3) near3 level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:03
S80	140757	((updat\$3 upgrad\$3) with (application program content software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:05
S81	65	S79 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:09
S82	105	S79 not S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:09

EAST Search History

S83	73	S82 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:00
S84	1318	(different near3 (access\$3 secur\$3) near3 level) with (application software data content program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 07:55
S85	215	S84 and ("virtual private network" vpn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 08:15
S86	163	S85 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 10:25
S87	23	S85 and ((message content) near3 (ID identifi\$6)) and ((server database provider) near3 (ID identifi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 08:09
S88	1099	message near3 (indicat\$3 identif\$6) near3 last	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 08:12
S89	38	S88 and ("virtual private network" vpn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 08:15
S90	2485	validat\$3 with certificate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 09:34
S91	801	S90 and hash\$3 and (sign\$3 with (private adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 09:35
S92	594	S91 and (stor\$3 with certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 09:36

EAST Search History

S93	98	S92 and (certificate with subsequent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 10:32
S94	16	S93 and ("virtual private network" vpn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 10:22
S95	595	validat\$3 with (certificate near6 (user subscriber client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 09:34
S96	60	S95 and hash\$3 and (sign\$3 with (private adj key) with (server provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 09:35
S97	54	S96 and (stor\$3 with certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 09:36
S98	20	S97 and (certificate with subsequent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 09:37
S99	64	S93 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 10:26
S10 0	13	S92 and (certificate with (subsequent near3 (response transaction message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 10:52
S10 1	391	syncml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:28
S10 2	136	S101 and (updat\$3 near3 (application program software)) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:14

EAST Search History

S10 3	38	S102 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:15
S10 4	307	stor\$3 with config\$9 with (access adj point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:22
S10 5	19	S104 and (updat\$3 near3 (application program software)) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 09:27
S10 6	7	S105 and VPN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:03
S10 7	850	content near3 (ID identification) same request\$3 same respon\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:14
S10 8	81	S107 and (updat\$3 near3 (application program software)) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:14
S10 9	52	S108 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:19
S11 0	7	((message content) near3 (ID identification identifier)) with ((target database source) near3 (ID identification identifier)) with ((secur\$3 access\$3) near3 level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 09:26
S11 1	3729	((message content) near3 (ID identification identifier)) with ((target database source) near3 (ID identification identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 09:26
S11 2	517	server with (((message content) near3 (ID identification identifier)) with ((target database source) near3 (ID identification identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 09:52

EAST Search History

S11 3	41	S112 and (updat\$3 near3 (application program software)) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 09:27
S11 4	600	(server provider) with ((message content) near3 (ID identification identifier)) with ((target database source) near3 (ID identification identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 09:37
S11 5	8	(server provider) same ((message content) near3 (ID identification identifier)) same ((target database source) near3 (ID identification identifier)) same ((secur\$3 access\$3) near3 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 09:38

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	517	server with (((message content) near3 (ID identification identifier)) with ((target database source) near3 (ID identification identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:01
L4	27	L3 and VPN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 09:52
L5	299	3 and (content media file) near3 (deliver\$3 rEQUEST\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:00
L6	169	5 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:17
L7	134	(server provider) with (send\$3 respon\$4) with (((message content) near3 (ID identification identifier)) with ((target database source) near3 (ID identification identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:01
L8	94	7 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:02
L9	39	5 and redirect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:25
L10	23	9 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:25
L11	13	10 and ((secur\$3 access\$3) near3 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 11:01